

Installation Systems

Safety and durability



Installation **Systems**

Safety and durability



Wide range of solutions

With Roca's Duplo systems you obtain all the installation flexibility for wall-hung sanitary ware: floor standing frame, free-standing frame, concealed cistern without frame, compact 8 cm. version, etc...

High quality materials

Roca has always worked with the best materials. We can therefore offer you products that are a quality reference and that endure over time regardless of their intensive use. All cisterns Duplo are equipped with an anti-siphon inlet valve, with a class I noise level (below 20 dBA)



Great durability and resistance

The installation of the complete range is the safest in the market, with the guarantee of a perfect attachment and a high static resistance (up to 400 kg).

This range has been designed to offer the best performance with an intensive use, making it ideal for the installation in public and private spaces.

All cisterns are equipped with a flush valve with a silicone washer, whose durability is VR11 (200.000 cycles)



Duplo WC Compact






Easy installation

The installation is quick and simple.

A complete installation pack with detailed instructions is included.

You can find animated films at www.roca.com that will guide you through the different steps to be followed during installation.



Easy maintenance

The design of the product offers an easy access to its interior, so that its maintenance may be carried out easily and immediately.

The instructions include specific maintenance and cleaning recommendations as well as a complete list of spare parts.

Roca Guarantee

Roca Installation Systems have been designed to guarantee the highest satisfaction.

Roca offers a 5 year warranty on its installation systems for plastic tanks and a 10 year warranty on the metallic frames.

All cisterns comply with the norm EN-14055, CE.



For wall-hung WC

The **Duplo WC** systems allow an easy and safe installation of wall-hung WCs in dry walls. They include fixations and connecting pipes to the WC.


The **Duplo WC** systems include a cistern equipped with dual flush technology to be adjusted to 6/3, 4,5/3 and 4/2 litres.

Duplo WC



Installation system for wall-hung WC.
With cistern and dual flush mechanism 6/3, 4,5/3 and 4/2 litres and installation accessories.
Minimum depth 140 mm.
Draining elbow \varnothing 90/90 and \varnothing 90/110

Ref: A890090020




Duplo WC Compact



Installation system for wall-hung WC.
With 8 cm compact cistern, dual flush mechanism 6/3, 4,5/3 and 4/2 litres and installation accessories.
Minimum depth 80/90 mm.
Draining elbow \varnothing 90/90 and \varnothing 90/110

Ref: A890080020




Duplo WC Smart*



Installation system for wall-hung WC.
With 8 cm compact cistern, dual flush mechanism 6/3, 4,5/3 and 4/2 litres and installation accessories. Smart toilet connection and a corrugated pipe.
Minimum depth 140mm, height 1.190 and draining elbow \varnothing 90/110

Ref: A890090800




*Recommended for In-Wash Inspira wall-hung toilet bowl. Compatible with all operating panels (except the ones for the Active installation system).

Basic WC



Concealed cistern with dual flush mechanism
6/3, 4,5/3 and 4/2 litres for wall-hung WC.
Minimum depth 125 mm.
Draining elbow \varnothing 90/90 and \varnothing 90/110

Ref: A890090120




Basic WC Compact



Compact concealed cistern with dual flush mechanism 6/3, 4,5/3 and 4/2 litres, for wall-hung WC
With fixations and connecting pipe.
Minimum depth 80/90 mm.
Draining elbow \varnothing 90/90 and \varnothing 90/110

Ref: A890080120



For floor standing WC

The **Basic Tank** system allows for the quick and easy installation of floor standing WCs.
For dry or wet walls.


They include the connecting pipe to the WC and a cistern with dual flush to be adjusted to 6/3, 4,5/3 and 4/2 liters.

Basic Tank Compact



Concealed compact. Cistern with dual flush mechanism 6/3, 4,5/3 and 4/2 litres.
With fixations and connecting tube.
Minimum depth 80 mm.

Ref: A890080200



Operating plates

for Duplo and Basic systems

Pictograms



Pieces with a vandal-proof installation system, to avoid theft



Product recommended for public spaces



Electronic


PL1 Dual Flush



Ref: A890095000 White

Ref: A890095001 Chromed


PL2 Dual Flush



Ref: A890096001 Chromed

Ref: A890096002 Grey

PL3 Single




Ref: A890097104 Stainless steel

PL3 Dual Flush



Ref: A890097004 Stainless steel

PL3 Electronic Dual Flush




Ref: A890097400 Stainless steel

Ref: A890097300 (compatible with Compact systems)

EP - 1 Dual Flush




Ref: A890102008 Electronic
Ref: A890103008 Electronic (for Compact systems)



PL4 Dual Flush




Ref: A890098001 Chromed
Ref: A890098005 Combi



PL6 Dual Flush



Ref: A890085001 Chromed



Active installation systems

for wall-hung WCs

Active WC



Installation system for wall-hung WC.
With dual flush mechanism 6/3 and 4,5/3 litres
and installation accessories.
Draining elbow Ø 90/110

Ref: A89011001B

*Compatible only with operating plates 52-B, 62-B and B01

Active SET WC



Installation system for wall-hung WC.
With a cistern with a dual flush mechanism 6/3 and 4,5/3 litres and
installation accessories.
Draining elbow Ø 90/90

Ref: A89011010B

*Compatible only with operating plates 52-B, 62-B and B01

Operating Plates

compatible with Active installation systems

52-B Dual Flush



Apm.Nº: A8901150B0 White
Apm.Nº: A8901150B1 Chromed

*Compatible only with Active installation systems

62-B Dual Flush



Apm.Nº: A8901160B0 White
Apm.Nº: A8901160B1 Chromed

*Compatible only with Active installation systems

B01 Dual Flush



Apm.Nº: A8901170B0 White
Apm.Nº: A8901170B1 Chromed

*Compatible only with Active installation systems

Compatibility table

	Mechanical									Electronics			
	PL1	PL2	PL3	PL4	PL5	PL6	52-B	62-B	B01	EP-1	EP-1 Comp	PL-3	PL-3 Comp
operating plates	dual	dual	single	dual	dual	dual	dual	dual	dual	dual	dual	dual	dual
Duplo WC Compact											✓		✓
Basic WC Compact											✓		✓
Basic Tank Compact											✓		✓
Duplo WC	✓	✓	✓	✓	✓	✓				✓		✓	
Duplo WC Smart	✓	✓	✓	✓	✓	✓				✓		✓	
Basic WC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
Active WC							✓	✓	✓				
Active SET WC													


For wall-hung bidet

Duplo for wall-hung bidet



Installation system for wall-hung bidet.
With installation accessories.
Minimum depth 140 mm

Ref: A890091200




For urinal

Duplo for urinal



Installation system for urinal.
With installation accessories.
Minimum depth 140 mm

Ref: A890094100




For basin

Duplo for basin




Installation system for wall-hung basins
With installation accessories.
Minimum depth 140 mm

Ref: A890093000



Accessability and comfort


Silent in wall



Noise damping joint for WC and bidet.

Ref: A890063000

Duplo Handicapped



Frame to adjust the support bar.
Right/left installation.

Ref: A890090600

Discover all of our products,
photos, videos, ideas,
manuals on:

www.roca.com

www.roca.hr

www.roca.hu

www.gr.roca.com

www.ro.roca.com

www.roca.bg

